



PRESTIGE TOWER



THE MOST ADVANCED  
VISUALIZATION SYSTEM

PRESTIGE TOWER **7K**

arthroVIMS



arthroVIMS



## PRESTIGE TOWER

# 7K



**Image  
Performance**

7K UHD  
3780p



**All-in-one  
Processor**

Lightsource,  
video,  
video sourcing

1 on/off  
button



**Broadcast**

Recording of  
surgeries



**Visiobroadcast**

Bilateral  
sound



**Touchless  
interface**

Yes



**Monobloc cameras  
with single-use cover**


No condensation

No sterilization

No contamination  
risk

Ultra HD  
3780

# ADVANCED VISUALIZATION & REAL-TIME TRANSMISSION OF SURGERIES FROM THE OR



## HIGHEST IMAGE QUALITY 7K

- 7K UHD Resolution 3780p
- 43" IPS screen

## ALL-IN-ONE PROCESSOR

- Mono-led video light source (60 000h)
- Recording picture & video on a Flashdrive 3.0
- Multi-display: until 3 displays at the same time
- Up to 3 videos outputs (Display Port)
- Automatic settings & configuration of white-balance

## BROADCAST & VISIOBROADCAST

- Recording of surgeries on a dedicated server
- Retransmission of surgeries on a webpage for the surgeon
- Broadcast of live video & audio (bilateral sound)

## RELATED CAMERAS

- 1. Monobloc cameras** Associated with a sterile single-use cover.
  - Image Quality 4 times higher than gold standard (7K UHD)
  - Directional system with a rotation angle of 170° to -170°
  - Ergonomic handle with Photos/videos & light modes buttons
  - A single cable for video & light sources

- **ArthroVims 4mm - 30°** : camera for arthroscopy
- **OpenVcam** on articulated arm : environment camera to film open surgeries

- 2. Universal camera**
  - **EndoVcam**

- Compatible with all rigid scopes under Ø5mm
- 7K UHD image quality.

## ENDOVCOVER SINGLE-USE STERILE COVER

- Very resistant, hermetic
- Ultra-fast fitting (50s)
- No condensation & contamination risks
- Maintain high quality images
- Sterilization free for light cable and scope



# PRESTIGE TOWER



arthroVIMS

## DESCRIPTION

## REFERENCE

### PRESTIGE CONFIGURATION

Video light processor  
43" IPS screen  
Medical Vcart  
Broadcast with Touchless interface  
Rigid protection for 43" screen

VLS800  
PVM695  
CTH06  
BR01  
PVM01

### CAMERAS

ArthroVims Ø4 mm - 30°  
EndoVcam - Universal camera  
OpenVcam with articulated arm

VSX4000  
VSX7000PR  
VSX7000S

### STERILE SINGLE-USE COVER

EndoVcover for VSX4000  
EndoVcover for VSX7000S

LW4030J-UHD  
LW10030-S-UHD

### OPTIONS

Vcart option with articulated arm  
Vcart option for dual monitor 32"  
Vcart for additional monitor  
External recorder with Dicom

OPN01  
DH32  
CTH05-32  
UR-4MD

### ACCESSORIES

Universal camera straight light cable  
Universal camera angled light cable  
Trocar cover Shoulder for ArthroVims  
Trocar cover Knee for ArthroVims  
Trocar obturator for ArthroVims  
USB Keyboard


CLX9000-2  
CLX9000N-2  
10001409-02  
10001410-01  
10001408  
10001218-2

### SCOPES

Available on demand



Articulated Arm



Dual Monitor



Additional Screen



10 AVENUE DE FONTRÉAL - EUROCENTRE  
31620 VILLENEUVE LES BOULOC - FRANCE  
TÉL. +33 5 34 45 09 09 - FAX. +33 5 61 22 85 84  
**VIMS-SYSTEM.COM**

Prestige Tower 7K - Brochure EN - Ed2 03/2021  
Manufacturer : VIMS - Processor/Cameras & cover **CE** 0459 Class IIa • Screen/Vcart/Trocars  
& Obturator **CE** Class I. Manufacturer: EUROSEP - Light cable **CE** Class I  
It is highly recommended to read the labels and the IFU.

Copyright © 2018 VIMS SA.

Vims devices are protected by international patents.